

What is Causing Climate Change?

Is CO₂ the Only Important Factor?



Please review these Websites

- Please see these Websites for more information:
- www.weatherwars.info
- www.divinecosmos.com
- www.enterprisemission.com
- http://members.tripod.com/~DELTA_9/
- <http://www.thewebfairy.com/fonebone/index.htm>
- <http://www.checktheevidence.com/>

Contact: Andrew Johnson ad.johnson@ntlworld.com

Global Warming – Is CO₂ the Only Important Factor?



- It's **YOUR** fault, ye know!
- **You** consume the goods!
- **You** drive the cars!
- **You** use the electricity!
- Global Warming is entirely **YOUR FAULT!**
- And you complain at the idea of being taxed for your “Carbon Footprint”!
- Some people!
- Let's not confuse ENVIRONMENTAL DESTRUCTION and CLIMATE CHANGE.

BUT WAIT...

Are we being given **ALL THE DATA?**

The Sun



- Since at least the late 1970's, the Sun's overall radiation emissions have increased by 0.5% per decade.
- Another NASA scientist found that between 1901 and 2000, the Sun's *magnetic field* has increased in strength by 230%.
- Before 2003, the 2 strongest solar flares on record were rated at a previously unheard-of X20, and occurred in 1989 and 2001. Then, in November 2003 a flare occurred that some estimate to be at least 200% more powerful than any ever seen before - an X40 - or higher.
- These and other events in late 2003 caused one NASA scientist to say that the Sun is now more active than in living memory, and "there has been nothing like this before."
- During in the Sunspot Cycle, when activity is at a maximum, many of the spots appear at a latitude of 19.5° .



Mercury


Mariner 10 Pictures (1974)

- Despite huge surface temperatures, Mercury seems to have ice in its polar regions.
- This is blamed on comet-based ice that crash-landed into “permanently shadowed craters,” which NASA scientists admit is a “problematic” assumption to make; the ice supposedly has survived for millennia, whereas a NASA probe landing at the pole is only expected to survive one week in the heat.
- Mercury also has an unexpectedly dense core of iron, consisting of almost half of its entire mass, and a strong dipole magnetic field as well. Some Scientists would like to know how these anomalies are possible.



Venus

- The amount of sulfur in Venus' atmosphere was found to have decreased “dramatically” between 1978 and 1983.
- This is currently blamed on a hypothetical “giant volcanic eruption,” which released these sulfur compounds all at once into the Venusian atmosphere - this sulfur then must have “settled out” of the Venusian atmosphere and so disappeared.




Mariner 10 (1974) Mosaic
Image of Venus

Venus

- Venus' overall night-side "airglow" brightness increased by 2500% in roughly the same timeframe - 1975 - 2001.
- The new airglow is green in colour, indicating oxygen atoms, and these oxygen emissions are as strong on Venus as they are in Earth's own oxygen-rich aurora - so a possible explanation is that there has been a massive increase in the oxygen content of Venus' atmosphere.
- Alpha & Beta Regio, two active volcanoes on Venus are at 19.5°

Green nightglow of Venus




Earth - 1

- A 410% increase in the overall number of natural catastrophes on Earth between 1963 and 1993 (Dmitriev 1997)
- A 400% increase in the number of quakes on Earth (over 2.5 on the Richter scale) since 1973 (Mandeville 1998)
- Approx 500% increase in Earth's volcanic activity between 1875 and 1993 (Mandeville 2000)




Earth - 2

- 9 out of the 21 most severe earthquakes from 856-1999 AD occurred in the 20th century (Russian National Earthquake Information Center, 1999)
- New forms of lightning observed – Sprites, Jets and “mega-lightning” – observed for the 1st time in the late 80’s and early 90’s.



Mars - 1




Mars - 2

- The Polar Ice Caps have diminished significantly in size in the last 8 years.
- Interestingly, NASA admitted earlier that an underlying geometric structure was somehow involved in the retreat of the icecap- a hexagon-shaped pattern seems to be present in both images)
- Olympus Mons (27 km high), at 19 degrees N. -- on Mars.
- Ozone is up and dust is down, both indicating that increased ionization is taking place. The atmosphere is noticeably cloudier and denser, a massive hurricane and a surprisingly fast-moving planet-wide dust storm have dazzled NASA scientists.

Jupiter - 1

- The amount of heavy elements (such as oxygen) in Jupiter's atmosphere decreased by 10% between 1979 and 1995, which is equivalent to 20 Earth-masses of oxygen disappearing in 16 years. Radiation emissions from Jupiter simultaneously *increased* by about 25% in the same time.
- Hoagland Observes that Jupiter's Great Red Spot (present for at least the last 300 years) is found at a latitude of – **19.5°**.
- By 2008, 2 new Red Spots had appeared.
- Jupiter may also be undergoing Global Warming.




Saturn

- Between 1980 and 1996, the speed of rotation for Saturn's clouds at the equator reduced by **58.2%**, described as an *“unexpected and dramatic change in weather.”* The NASA explanation is “seasonal changes”.
- In Aug. 1981, Voyager 2 reached Saturn and photographed unexpected “spokes” in the rings, caused by “bunching” of particles.
- In Dec 2003, With higher resolution and superior imaging, it was hoped to get a better look at these with Cassini.
- The Spokes had disappeared!
- Saturn has also exhibited anomalous X-ray emissions (observed by Chandra) and Auroral activity.




Cassini Saturn
Photo
 (“Hexagon”)



Uranus - 1

- Uranus “appeared as featureless as a cue ball” in 1986 when Voyager flew by, *remarkably bright clouds* began appearing as of at least 1996... clouds “almost as large as continents on Earth
- By 1998, the Hubble Space Telescope had discovered nearly as many clouds in the high Uranian atmosphere as had *ever* been observed in the *entire history* of Uranus. One of these clouds was “brighter than any other” ever seen on Uranus.”



False-Color Infrared Image of Emerging High-Altitude Bright Clouds on Uranus

Uranus - 2

- In 1999, NASA articles were referring to Uranus as being “hit” by “Huge Storms,” making it “a dynamic world with the brightest clouds in the outer solar system.”
- The head NASA scientist referred to these increasingly bright and active clouds as “*really big, big changes*” on Uranus, compared to what we had seen with Voyager.
- Even from Earth, significant *changes* have been catalogued... based on new cloud patterns “*whose origins are not well understood*”






Image of Uranus obtained in 2005 by ACS on HST. Rings, southern collar and a bright cloud in the northern hemisphere are visible. 15

Neptune


- By June 1994, Neptune's "Great Dark Spot", at our familiar 19.5° latitude, had mysteriously *disappeared*.
- By April of 1995, Neptune's Great Dark Spot had *reappeared* in Neptune's *northern* hemisphere accompanied by more bright, high-altitude clouds! NASA itself noted that this new spot was a "*near-mirror image of the first spot previously imaged by Voyager 2*".
- More bright clouds have appeared in the last 8 years.



Neptune, with
Great Dark
Spot in center,
as seen by
Voyager 2 in
1989


Pluto - 1

- The most distant planet – which some even say is not really a planet.
- We naturally assume that if a planet moves closer to the Sun, it is exposed to more heat.
- Since 1989, Pluto has been moving **away** from the Sun in its highly elliptical, 248-year orbit
- Space.com admits, *“Logic suggests the planet might cool as it receives less sunlight each day”*



Pluto - 2

- Dr. James L. Elliot, took advantage of a rare event, where Pluto passed in front of a star in 2002, and this allowed him to determine whether Pluto's structure and composition had stayed the same as in 1989 (similar to what is shown lower right).
- They discovered that the atmospheric pressure of Pluto has increased - by 300% - between 1989 and 2002. This has also caused a noticeable rise in Pluto's surface temperatures.
- This is attributed by mainstream planetologists to... "seasonal change."




Local Interstellar Medium

- This may be playing a role in what is happening in the Solar System:
- From http://ae-www.usc.edu/bio/dons/ds_biosk.html
- Research on the properties of the Local Interstellar medium have been carried out in scattered periods beginning in 1978. The NASA Space Physics Division has shown a persistent pernicious bias against work on the effects of the neutral gas in the LISM in the United States, from the time of the formation of the Division. The dominant role of neutral hydrogen in the formation of the termination shock in the collision of the solar wind with the LISM has only recently been recognized by the particles and fields research community, which has been supported primarily by the Space Science Division. The most important contributions to research in this program are papers (48), which presents a calibration independent method of determining absolute LISM density, and (89), which presents the first evidence for a large increase in the LISM neutral atomic hydrogen density from Voyager measurements of the 50 AU region, suggesting the approach to the termination shock (89). See 19, 20, 21, 48, 64, 82, 89.

Maunder Minimum (Sunspots) and The Little Ice Age


- Europe's so-called "Little Ice Age" (1645-1715) coincided with the Maunder Minimum -- a period during which sunspots were exceedingly rare.



- There does seem to be correlation between Sun Spot numbers and the temperature on the Earth over time.

Sunspots and Climate

- Another effect on global temperature related to sunspots is the deflection of cosmic particles coming from Milky Way by the sun's increased magnetic field during increased sunspot activity.
- During periods of decreased sunspot activity, the sun's magnetic field is reduced and a higher percentage of cosmic rays enter the Earth's atmosphere. "The ions produced by cosmic rays act as condensation nuclei for larger suspension particles and thus contribute to cloud formation.
- With increased solar activity (and stronger magnetic fields), the cosmic ray intensity decreases, and with it the amount of cloud coverage, resulting in a rise of temperature on the Earth. Conversely, a reduction in solar activity produces lower temperatures." (A12)



Chemtrails 1



Note the “grid” pattern. Also, bear in mind that this picture was taken at a minimum altitude of 150 miles (250km), AND from an angle. We are looking at an atmospheric phenomenon, which is at least 300 miles (500km) from the lens! Ordinary, normal contrails could not, and would not, be visible from such a distance. In any case, contrails would never last long enough to create this blanket of material over such a wide area. And from whence does all this MASS come from?? We're looking at MILLIONS OF TONS of material to make a layer like this in the atmosphere folks. We can only guess how many square miles/kilometers of continental territory are shown in this photograph, but the area seen here is huge. All of this caused by mere jet engine exhaust? I DON'T THINK SO. 22

Chemtrails 2



Battle Creek Michigan 2004. The day begins without a cloud in the sky...
Until the planes appear and so often they fly in pairs.

Borrowwash “Sunset Grid” 10th June 2005



Cloud Anomalies - 1



- Some extraordinary pictures of cloud anomalies have surfaced over the last few years.
- This image caused quite a stir in late summer 2003 when this image was captured some place in Alabama, it even made it onto the BBC News Website!

Cloud Anomalies - 2



This image was taken the morning of Nov 17, 2004 from a plane departing New York's JFK airport.

Cloud Anomalies - 3

Orlando Florida
late in the day
prior to
Christmas Eve.
Blooming
contrails
evident with a
striking oval
imprint
deposited into
the cloud field.
It truly amazes
me that this
whole project is
still so hidden
behind the
'important'
news of the
day. A sorry
symptom of the
state of
journalism in
this nation and
indeed
throughout the
Western world.



Cloud Anomalies - 4




This oval strike appears to be very fresh with the cirrus fallout just in the beginning phases. Note the straight edge to the back of the cloud field northward of the oval.

Cloud Anomalies - 5



No details for this image


Weather Satellite Anomalies – 1



- October 21, 2004 1932Z
3:32 Central
- Notice how the cumulus field has formed a 90-degree bend around the two negative energy clear areas.



Weather Satellite Anomalies – 2

http://www.weatherwars.info/satellite_1.htm





- Scott Stevens writes: “June 7, 2004--0108Z Southern Montana/East Idaho/NW Montana. This image was huge for me. Finally convincing me that this project wasn't limited to individual 'events' but was everywhere all the time. Soak up all the oddities, squares, and clouds at 90-degree angles. the whole storm had to have been digitized into individual cells. I've never looked at the sky the same since.”

Weather Satellite Anomalies – 3




What causes **CIRCULAR** rainfall patterns (as detected on satellite radar)?




Hurricane Ophelia

Ophelia: 16-Sep-2005 20:15:00



Richard C Hoagland stated on his Blog - "It is our contention, based on the physics of these images (described at the official University of Wisconsin MIMIC site), that these bizarre "tuning fork" patterns -- note, geometrically aimed at the precise centers of these respective storms! -- are actually a "rainfall side-effect" of an unseen energy technology being applied to these respective storms ... in an effort to decrease both their wind velocities, and to simultaneously alter the storms' tracks themselves."

Hurricane Rita



Also From Richard C Hoagland's Blog: "Further, in just the last few days, we've uncovered compelling new technical information -- specifically, satellite microwave radiometer images of rainfall in Hurricane Rita (known as MIMIC images) -- which provide remarkable additional support for the hypothesis that "someone" is using a currently "unknown technology" to alter both hurricane strength ... and to steer the storms themselves (below).

In fact, it looks like...

- Changes are happening on all other planets in the solar system.
- **ENVIRONMENTAL DESTRUCTION and CLIMATE CHANGE have DIFFERENT CAUSES.**
- CO₂ is a Minor Factor in the picture of Global Warming...
- There seem to be energy changes throughout the solar system – and also Solar activity has changed significantly in the last few years.
- Energy Changes across the Solar System could be being induced by an officially unacknowledged type of “Hyperdimensional Energy Transfer”.
- Someone is deliberately polluting the atmosphere with something anyway (and few notice)
- **Other Research** shows that Pollution-Free Energy Technologies (or ones with far lower levels of pollution) have been perniciously suppressed.

What are you going to do about it?

So please...

**Ask Questions.
Share the Information.
Challenge those
who should be looking
at this data more carefully.**

Dept. of Environment, Greenpeace, The Green Party, Friends of the Earth, World Wildlife Fund, "Climate Action" groups MUST take account of this data – before it's too late. Thank you!